

comprises information regarding available and unavailable times for that user and [the] an electronic mail address for the user;

request generating means, connected over a network to the one or more server means, for generating a request for allocation of a time interval for the one or more [of the plurality of] potential invitees;

busy time determination means for gathering the one or more invitee profiles for the [plurality of] one or more potential invitees that were requested by the request generating means and that are available in the [databases] database means and determining whether those one or more potential invitees are available during the time interval requested by the request generating means;

means for scheduling [the] a meeting by using the electronic mail address in the invitee profile to send each of the one or more potential invitees available [requested invitee] an invitation to attend at the [requested] time interval requested thereby making each of the one or more potential invitees an invitee; and automatically updating the invitee's invitee profile based on the invitee's response to the invitation; and

substitute delegating means for enabling the invitee to delegate a substitute to attend the meeting in response to the invitation.

5. (Twice Amended) A system for scheduling time intervals for a plurality of [users] invitees comprising:

one or more databases, [associated] in communication with one or more servers, which store [a profile] one or more invitee profiles for [each] one or more potential [invitee] invitees of

the system, the one or more invitee profiles comprising user profiles wherein each user profile comprises information regarding available and unavailable times for that user and the electronic mail address for the user;

one or more user workstations, connected over a network to the servers, operating a calendaring system that permits a user to request allocation of a time interval for the one or more [of the plurality of] potential invitees;

wherein the calendaring system gathers the profiles for the one or more [requested] potential invitees that are available in the one or more databases and determines whether those one or more potential invitees are available during the [requested] time interval requested;

wherein the calendaring system invites the one or more potential invitees by using the electronic mail address stored in the invitee profile for the [invitee] one or more potential invitees to send an invitation to the one or more potential invitees thereby making each of the one or more potential invitees an invitee; and automatically updates the invitee's invitee profile based on the invitee's response to the invitation; and

wherein the calendaring system enables the invitee to delegate a substitute in response to the invitation.

6. (Twice Amended) A process for scheduling time intervals for a plurality of [users] invitees comprising:

storing [a profile] one or more invitee profiles for [each] one or more potential [invitee] invitees of the system [on] in a database [associated] in communication with one or more [network] servers, the one or more invitee profiles comprising user profiles wherein each user

profile comprises information regarding available and unavailable times for that user and [the] an electronic mail address for the user;

receiving a request for allocation of a time interval for the one or more [of the plurality of] potential invitees from a remote workstation over a network at the one or more servers;

gathering the profiles for the one or more [requested] potential invitees that are available in the [databases] database;

determining whether those one or more potential invitees are available during the [requested] time interval requested;

inviting the [available] one or more potential invitees to attend at the [requested] time interval requested by using the electronic mail address stored in the profile for those one or more potential invitees to send an invitation to the one or more potential invitees thereby making each of the one or more potential invitees an invitee;

enabling the invitee to delegate a substitute in response to the invitation; and  
automatically updating the invitee's invitee profile based on the invitee's response to the invitation.

7. (Twice Amended) A processor usable medium having processor readable code embodied therein for enabling group calendaring between a plurality of users on a computer system, the system comprising a database, associated with one or more servers, which stores [a profile] one or more invitee profiles for [each] one or more potential [invitee] invitees of the system, the invitee profiles comprising user profiles wherein each user profile comprises information regarding available and unavailable times for that user and the electronic mail

address for the user, the [computer] processor readable [program] code [means] in [said computer] the processor usable medium comprising:

processor readable code for causing a [server] processor to receive a request for allocation of a time interval for one or more [of the plurality of] potential invitees;

processor readable code for causing [the server] a processor to gather the profiles for the one or more [requested] potential invitees;

processor readable code for causing a [computer] processor to determine whether those one or more potential invitees are available during the requested time interval;

processor readable code for causing a [computer] processor to invite the [available] one or more potential invitees to attend a meeting at the requested time interval by using the electronic mail address stored in the profile for each invitee to send an invitation to the one or more potential invitees thereby making each of the one or more potential invitees an invitee; and automatically updating the invitee's profile based on the invitee's response to the invitation;

processor readable code for causing a processor to enable the invitee to delegate a substitute in response to the invitation.